FILE NOTATIONS

Intered in HID File	Checked by Chief R.P. M. Americal Letter 10:17:11
COMPLETION DATA: Vate Well Completed //-2/1/ V WW TA OS PA.	Location Inspected Bond released State or Fee Land
Logs Pottlants Log. (Log)	FILED
でいる。。。。 Elsey College Tests Tests で記る South Elsey College C	Micro Scale

SUBMIT IN TR. CATE.


Form approved. V Budget Bureau No. 42-R1

UNITED STATES
DEPARTMENT OF THE INTERIOR

(Other instructions on reverse side)

	DEFARTMEN			RIUR .			TION AND SERIAL 10.
		OGICAL SURV		,		U-28225	
APPLICATION	Y FOR PERMIT	TO DRILL,	DEEF	PEN, OR PLUG	BACK		OTTEE OR TRIBE NAME
1a. TYPE OF WORK	LL XX	DEFORM		DI 110 DA	6 1.	7. UNIT AGREEME	NAME OF THE OWNER OWNER OF THE OWNER
b. Type of Well	LL EA	DEEPEN	LJ	PLUG BA	CK 📋	Sand Rid	
OIL C	AS ELL XX OTHER			SINGLE MULTI	PLE	8. FARM OR LEAS	<u> </u>
2. NAME OF OPERATOR				ZONE L ZONE		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
PACIFIC TR	ANSMISSION SUP	PLY COMPANY			, M	9. WELL NO,	
3. ADDRESS OF OPERATOR	C	• -				PTS #13-	10 Federal
	Street, San Fr					10. FIELD AND PO	the control of
4. LOCATION OF WELL (Re At surface					19	Wildcat	3 3 5
817' FW	L & 1820' FSL o	of Section	10,	T8S-R23E	ω \S	11. SEC., T., R., M. AND SURVEY C	FOR BLEA
At proposed prod. zone	e			T8S-R23E	4 4.EG.	Section	10, T85-R23E
14. DISTANCE IN MILES A						12. COUNTY OR PA	BISH (13) STATE
					Dec	" Uintah	d Ütah
15. DISTANCE FROM PROPO LOCATION TO NEAREST	SED*		16. N	O. OF ACRES IN LEASE	17. No. 0	FACRES ASSIGNED	
PROPERTY OR LEASE L. (Also to nearest drig	INE, FT. . unit line, if any)			280	10 T	320	77. 30. 11. 12. 13. 13. 13. 13. 13. 13. 13. 13. 13. 13
18. DISTANCE FROM PROPO TO NEAREST WELL, DR	OSED LOCATION®		19. P	ROPOSED DEPTH	20. ROTAL	RY OR CABLE TOOLS,	# ## ## ## ## ## ## ## ## ## ## ## ## #
OR APPLIED FOR, ON THE	S LEASE, FT.			5410'	R	lotary	3 855
21. ELEVATIONS (Show whe 5351 Ingra	ther DF, RT, GR, etc.) aded Ground				л I -3&2 Ыйто		WORK WILL START
23.						- 13 - 13 - 1 - 1	30 1 1974
		PROPOSED CASII	NG AN	D CEMENTING PROGRA	AMC O E	10 day	erio.
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER F		SETTING DEPTH	<u> </u>	QUANTITY OF C	EMENTS 3 3
<u>15"</u> 7-7/8"	10-3/4"	32.7		350'			t to surface)
7-7/8	4-1/2"	9.5	<i> </i> }	As required	As re	quired 5	The law of
					15.5	2007 120 120 120 120 120 120 120 120 120 120	
Operator pi	roposes to dril	lawell to) tes	st the Green Riv	c li bae and	Hoper Wage	
formations.	The proposed	well is be	eing	submitted as the	ne Sand	Ridge Unit	t back
qualifying	well.		Ŭ		्रे स्ट		: - : : : : : : : : : : : : : : : : : :
					(1)	20 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
A 3000 psi	BOP system con	taining a h	ıydri	ll, doublegate	BOP and	d rotating l	head dig
Will be ins	stalled on the	surface cas	sing	and tested to 1	L000 ps:	i-prior to	drilling
BOP plan.	lonar pressure	containmer	ιτ αε	etails are shown	on the		
					3. C 39	treed to the same of the same	Accepted to the control of the contr
Operator wi	ll drill with	air and air	mis	st unless well b			
quantities	of water. If	water is er	cour	tered, drilling	will	continue us	antillas on other in on other in other in
flocculated	l water.			,	,		No. of the
					ē	ones ones	ong ang
					र)क		
IN ABOVE SPACE DESCRIBE sone. If proposal is to d	PROPOSED PROGRAM: If	proposal is to deep	en or p	olug back, give data on pr	esent produ	ctive zone and pro	posed new productive
preventer program, if any	·		· ····································		in mensuten	and true vertical d	eptils: State blowout
24.	2 1//				olique	100 To 10	
SIGNED 2 Cre, 24	un Klen	TIT	LE E	NGINEER	1	10/	15/74
(This space for Federal	al or State office use)	\rightarrow					<u>ं अन्त</u>
1/2	11/1 300	(1)			्रधावर	F. 19 19 19 19 19 19 19 19 19 19 19 19 19	
PERMIT NO.	771-00/	7 (APPROVAL DATE		8 2 X 3 E 2 E	<u> </u>
/					E.		
CONDITIONS OF APPROVA	L, IF ANY:	TIT	LE			TO PATE THE	3 4 5 3,

T8S, R23E, S.L.B.&M.



X = Section Corners Located

PROJECT

PACIFIC GAS TRANSMISSION

Well location, located as shown in the NW 1/4 SW 1/4 Section 10, T8S, R23E, S.L.B.&M. Uintah County, Utah.



THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

REGISTERED LAND SURVEYOR REGISTRATION № 3154

STATE OF UTAH

UINTAH ENGINEERING & LAND SURVEYING
P.O. BOX Q -- 110 EAST - FIRST SOUTH
VERNAL. UTAH - 84078

SCALE	DATE
l" = 1000'	Oct.2, 1974
PARTY	REFERENCES
G. S. M. S.	GLO Plat
WEATHER	FILE
Warm	PACIFIC GAS TRAN.

12-Point Development Plan

1. Existing Roads

The proposed location lies approximately 2200' west of an existing unimproved road. The unimproved road will be the principle means of access and is shown on the attached location map.

2. Access Roads

It will be necessary to construct 2200' of new access road as shown on the attached location map. Minimum cutting and filling will be required for the new road which will run at about a 1% slope to the west.

3. Existing Wells

Several wells have been drilled in the area of the proposed well. The nearest existing drillsite is the McClish well which lies to the west approximately one mile in the SE/4 SW/4 of Section 9, T8S-R23E.

4. Lateral Roads - None planned.

5. Tank Batteries

The proposed well is expected to be a gas well which will not likely require storage facilities. In the event that liquid production is established, tank batteries will be required. The design of the tanks and their eventual location will depend on production results. It is proposed that if they are needed, they will be placed in the northeast corner of the location.

6. Water Supply

Water for drilling the well will be hauled from the Red Wash Field from private wells.

7. Waste Disposal

All combustible waste will be burned in a trash pit constructed for this purpose. After completion of drilling activities, noncombustible items will be buried in the pit and the pit backfilled and graded.

- 8. Camps None planned.
- 9. Airstrip None planned
- 10. Location Layout Attached.

PTS #13-10 Federal Section 10, T8S-R23E Uintah County, Utah Sand Ridge Unit

11. Restoration

The restoration of the location will follow one of two plans.

- 1. Producing well Those pits unneeded for production will be filled, the location graded and generally cleaned up and seeded with range grass.
- 2. Location abandoned If the well is plugged and abandoned, the pits will be backfilled and the entire location graded and reseeded. A dry hole monument will be erected. It is our intent that the abandoned location blend as near as possible to the undisturbed surrounding terrain.

12. General

The topography in the vicinity of the location consists of gently sloping sandy rangeland vegetated with sagebrush and sparce grass.

An 8'cut will be required to build a level work area. Topsoil from the work area will be stockpiled and respread when the location is cleaned up and reseeded.

PTS #13-10 Federal Section 10, T8S-R23E Uintah County, Utah Sand Ridge Unit

BOP AND CASING DESIGN

1. Surface Casing

350' of 10-3/4" 5LB, 32.75#/ft, new. T&C with K-55 STC couplings.

2. Casing Heads, Flanges & Spools

All casing heads, flanges & spools will be 10", 3000 psi W.P. or greater on the 10-3/4" surface casing.

3. Intermediate Casing

None planned.

4. BOPs

A 3000 psi W.P. BOP system and rotating head will be maintained from under the surface casing. The stack will consist of a Model GK Hydril, a Shaffer Model E, hydraulic doublegate and a Grant rotating head assembly.

5. Auxiliary Equipment

A 3000 psi W.P. choke manifold with positive and adjustable chokes, Shaffer drill pipe safety valve, Shaffer kelly cock and an 80 gallon accumulator BOP closing unit.


6. Expected Bottom Hole Pressure


2400 psi.

7. Drilling Fluid

Air or air mist.







PIG LAYOUT PT 513-10 FED. NOT TO SCALE

PACIFIC TRANSMISSION SUPP. Co.

PACIFIC TRANSMISSION SUPPLY COMPANY

AND CODY

COPY

October 15, 1974

U. S. Geological Survey 8426 Federal Building Salt Lake City, Utah 84138

Attention Mr. Edgar V. Gwynn

Re: PTS #13-10 Federal Section 10, TSS-R23E Uintah County, Utah

Gentlemen:

Pacific Transmission Supply Company hereby submits its Application for Permit to Drill the captioned well. It is our intent that this well be the unit well qualifying for the pending Sand Ridge Unit.

Lease No. U-28225 on which the proposed well will be located was won in the September 1974 Simultaneous Filing and has subsequently been purchased by PTS and Chorney Oil Company. The necessary assignment has been filed with the Bureau of Land Management.

Enclosed for your review and approval are the following items pertaining to the well.

- 1. Application for Permit to Drill
- 2. Surface Development Plan
- 3. BOP and Casing Design Plan
- 4. Surveyor's Plat
- 5. Location Map
- 6. Vicinity Map

Very truly yours,

E. R. HENRY

ERH: okh

Inclosures

cc Utah Division of Oil & Gas Conservation 1588 West, North Temple Salt Lake City, Utah 84116 October 18, 1974

Pacific Transmission Supply Company 245 Market Street San Francisco, California 94105

> Re: Well No. Sand Ridge Unit 13-10 Sec. 10, T. 8 S, R. 25 E, Uintah County, Utah

Gentlemen:

Insofar as this office is concerned, approval to drill the above referred to well is hereby granted in accordance with the General Rules and Regulations and Rules of Practice and Procedure. Said approval, however, is conditional upon receiving the necessary consent from the U.S. Geological Survey and/or Bureau of Land Management.

Should you determine that it will be necessary to plug and abandon this well, you are hereby requested to immediately notify the following:

PAUL W. BURCHELL-Chief Petroleum Engineer HOME: 277-2890 OFFICE: 328-5771

Enclosed please find Form OGC-8-X, which is to be completed whether or not water sands (aquifers) are encountered during drilling. Your cooperation relative to the above will be greatly appreciated.

The API number assigned to this well is 43-047-30191.

Very truly yours,

DIVISION OF OIL & GAS CONSERVATION

CLEON B. FEIGHT DIRECTOR

CBF:sw

Form 9-331 (May 1963) DEPART!	UAED STATES MENT OF THE INTER	SUBMIT IN TR (ATE- (Other instruction of re- verse side)	Form approvements of the second secon	nu No. 42-R1424.
SUNDRY NOT	GEOLOGICAL SURVEY ICES AND REPORTS (Sals to drill or to deepen or plug ATION FOR PERMIT—" for such p	ON WELLS back to a different reservoir.	6. IF INDIAN, ALLOTTE	E OR TRIBE NAME
1. OIL GAS TV	ITION FOR PERMIT—" for such p	roposals.)	7. UNIT AGREEMENT NA	
2. NAME OF OPERATOR PACIFIC TRANSMISSION S	UPPLY COMPANY		Sand Ridge U 8. FARM OR LEASE NAM	
3. ADDRESS OF OPERATOR 245 Market Street, San 4. LOCATION OF WELL (Report location of	learly and in accordance with any	State requirements *	9. WELL NO. PTS #13-10 Fe	
See also space 17 below.) At surface 817 FWL & 182	0' FSL of Section 10	, T8S-R23E	Wildcat 11. SEC., T., R., M., OR I SURVEY OR ABEA	BLK. AND
		_	Section 10, T	
14. PERMIT NO.	15. ELEVATIONS (Show whether DE 5351' Ground	, RT, GR. etc.)	12. COUNTY OF PARISH	Utah
18. Check Ap	opropriate Box To Indicate N	Nature of Notice, Report, or C	Other Data	
FRACTURE TREAT SHOOT OR ACIDIZE	PULL OR ALTER CASING MULTIPLE COMPLETE ABANDON* CHANGE PLANS	WATER SHUT-OFF FRACTURE TREATMENT SHOOTING OR ACIDIZING (Other) (NOTE: Report results	REPAIRING OF ALTERING C. ABANDONME: of multiple completion letion Report and Log for	ASING NT*
10/31/74 - Spudded at 9 11/1/74 - TD 232', dril	-			
	DITAGE NOTE CONTE	TO PARTE AT		
	PLEASE HOLD CONFI	IDENTIAL		
	•			
18. I hereby certify that the foregoing is	4	XPLORATION MANAGER	DATE _11/1/	774
(This space for Federal or State offi	TITLE		DATE	
CONDITIONS OF APPROVAL, IF A	NY:	Co	opies: Chorney	Oil Compar

*See Instructions on Reverse Side

Reserve Oil Company Reserve Oil & Gas DEB, HGC, EHW Utah Div. O&GC

,				
Form 9-331 (May 1963)	U CED STATES	SUBMIT IN TR. CATE* (Other instructic on reverse side)	Form approvement Budget Bure 5. LEASE DESIGNATION	au No. 42-R1424.
Dai /III	GEOLOGICAL SURVEY		บ-28225	
	OTICES AND REPORTS posals to drill or to deepen or plug (CATION FOR PERMIT—" for such		6. IF INDIAN, ATLOTTE	E OR TRIBE NAME
1.			7. UNIT AGREEMENT N.	AME
WELL GAS WELL XX OTHER			Sand Ridge	
2. NAME OF OPERATOR			8. FARM OR LEASE NA	ME
PACIFIC TRANSMISSION	SUPPLY COMPANY			
3. ADDRESS OF OPERATOR			9. WELL NO.	
245 Market Street, Sa	an Francisco, Califor	nia 94105	PTS #13-10 F	<u> </u>
4. LOCATION OF WELL (Report location See also space 17 below.)	a clearly and in accordance with an	y State requirements.*	10. FIELD AND POOL, C	OR WILDCAT
At surface		·	Wildcat	
817' FWL & 1820' FS	L of Section 10, T8S-	R23E	11. SEC., T., R., M., OR SURVEY OR AREA	BLE. AND
			Section 10,	T8S-R23E
14. PERMIT NO.	15. ELEVATIONS (Show whether I	OF, RT, GR, etc.)	12. COUNTY OR PARISE	H 13. STATE
	5351' Ground		Uintah	Utah
TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL (Other) WEEKLY REPORT	PULL OR ALTER CASING MULTIPLE COMPLETE ABANDON* CHANGE PLANS	WATER SHUT-OFF FRACTURE TREATMENT SHOOTING OR ACIDIZING (Other) (NOTE: Report results	REPAIRING ALTERING C ABANDONME of multiple completion etion Report and Log fo	On Well
17. DESCRIBE PROPOSED OR COMPLETED (proposed work. If well is directed to this work.) *	PERATIONS (Clearly state all pertine ctionally drilled, give subsurface loc	ent details, and give pertinent dates, ations and measured and true vertica	including estimated da l depths for all marker	te of starting any s and zones perti-
11/3/74 - TD 348', (102.33) total 34 casing 1 chloride held, go	, 8 joints 10-3/4" 31 2.12'. Ran Baker flo anded at 339.12' K.B. , 3% salt, 1/4# flose od returns. Plug dow prep to unload hole.	Ran 3 joints 10-3/4" .2#, R-2 ST&C (238.69) at valve on top of bot , cemented with 350 sa al per sack. Bumped p n at 12:45 p.m. Tested BOP equipment	, Baker Guide tom joint, 2 dicks Class "G" lug with 1000 to 3000 psi,	shoe (1.20) centralizers , 2% calcium psi, float tested
hvdril t	o 1500#, tested kelly ement at 310'. Drill embly.	cock with 300#, testered cement and 63' new	ed casing with	1000#,

11/6/74 - TD 1968', tripping. 11/7/74 - TD 2152', drilling. 11/8/74 - TD 2403', mixing LCM. Lost returns at 2350', approximately 450 bbls. Hole standing full. Sample top Green River 2290' (+3078').

PLEASE HOLD CONFIDEN	TIAL	• •		
18. I hereby certify that the foregoing is true and correct	TITLE .	EXPLORATION MANAGER	DATE _	11/8/74
(This space for Federal or State office use)				
APPROVED BYCONDITIONS OF APPROVAL, IF ANY:	TITLE	Copies:	Utah	Div. O&GC
*S	ee Instruc	tions on Reverse Side		rve Oil & Gas HGC, EHW

16.

UN D STATES DEPARTMENT OF THE INTERIOR

SUBMIT IN TRIPL TE

Form approved. Budget Bureau No. 42-R1424.

RTMENT OF THE INTERIOR verse side) GEOLOGICAL SURVEY	5. LEASE DESIGNATION AND SERIAL NO. U-28225 6. IF INDIAN, ALLOTTEE OR TRIBE NAME
OTICES AND REPORTS ON WELLS proposals to drill or to deepen or plug back to a different reservoir. PLICATION FOR PERMIT—" for such proposals.)	
ER	Sand Ridge Unit
SUPPLY COMPANY	8. FARM OR LEASE NAME
an Francisco, California 94105	9. WELL NO. PTS #13-10 Federal
tion clearly and in accordance with any State requirements.*	10. FIELD AND POOL, OR WILDCAT Wildcat
SL of Section 10, T8S-R23E	Section 10, T8S-R23E
15. ELEVATIONS (Show whether DF, RT, GR, etc.)	12. COUNTY OR PARISH 13. STATE Uintah Utah
	GEOLOGICAL SURVEY OTICES AND REPORTS ON WELLS proposals to drill or to deepen or plug back to a different reservoir. PLICATION FOR PERMIT—" for such proposals.) EB SUPPLY COMPANY an Francisco, California 94105 tion clearly and in accordance with any State requirements.* SL of Section 10, T8S-R23E

Check Appropriate B	ox To	Indicate	Nature of	Notice,	Keport, or	Other Date
---------------------	-------	----------	-----------	---------	------------	------------

NOTICE OF INTENTION TO:	1	SUBSEQU	ENT REPORT OF:	
PULL OR ALTER FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL (Other) WEEKLY REPORT	PI.ETE	Completion or Recomple	REPAIRING WELL ALTERING CASING ABANDONMENT* of multiple completion on Well etion Report and Log form.)	
				44

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) *

PLEASE HOLD CONFIDENTIAL

- 11/9/74 TD 2719', drilling. Top Green River 2290' (+3078'). Lost 850 bbls fluid. 11/10/74 TD 3038', mixing LCM. Lost circulation at 3038', lost 850 bbls with two
- attempts to regain circulation.
- 11/11/74 TD 3267', mixing LCM. Losing fluid slowly while drilling. Regained circulation after losing 850 bbls. Lost 250 bbls overnight.
- 11/12/74 TD 3588', tripping for plugged bit. Plugged bit on connection, pulled 20 stands and circulated, went back to bottom, unable to circulate. Pulled DP.
- 11/13/74 TD 3945', drilling. Washed 250' to bottom, drilled 3', lost returns, 250 bbls.
 Pulled 5 stands and mixed mud. Regained circulation.
- 11/14/74 TD 4390', drilling.
- 11/15/74 TD 4679', tripping.

18. I hereby certify that the foregoing la frue and correct SIGNED England College	TITLE ENGINEER	DATE11/15/74
(This space for Federal or State office use)		
APPROVED BY	TITLE	DATE

Form 9-331 (May 1963) DEPARTM	IN D STATES IENT OF THE INTERI	SUBMIT IN TRIPA (Other instructions re-	Form approve Budget Burea 5. LEASE DESIGNATION	u No. 42-R1424.
	EOLOGICAL SURVEY		บ-28225	* .
	CES AND REPORTS C	ON WELLS ack to a different reservoir. oposals.)	6. IF INDIAN, ALLOGIZE	OR TRIBE NAME
1.			7. UNIT AGREEMENT NA	ΝE
OIL GAS TO OTHER			Sand Ridge L	
2. NAME OF OPERATOR			8. FARM OR LEASE NAM	IE.
PACIFIC TRANSMISSION SUP	PLY COMPANY			
3. ADDRESS OF OPERATOR			9. WELL NO.	
245 Market Street, San F	rancisco, California	94105	PTS #13-10 I	ederal
4. LOCATION OF WELL (Report location cluster also space 17 below.) At surface	early and in accordance with any	State requirements.*	Wildcat	R WILDEAT
817' FWL & 1820' FSL o	f Section 10, T8S-R2	23E	Section 10,	T8S-R23E
14. PERMIT NO.	15. ELEVATIONS (Show whether DF	, RT, GR, etc.)	12. COUNTY OR PARISH	1
	5351' Ground		Uintah	- Utah
16. Check Ap		lature of Notice, Report, or C	ENT REPORT OF:	
FRACTURE TREAT	ULL OR ALTER CASING ULTIPLE COMPLETE	WATER SHUT-OFF FRACTURE TREATMENT SHOOTING OR ACIDIZING	ALTERING C.	POKIET
SHOOT ON ACIDALS	BANDON*			
KEI HIM WASA	HANGE PLANS	(Other)	of multiple completion	on Well
(Other) WEEKLY REPORT	<u> </u>		etion Report and Log for	
17. DESCRIBE PROPOSED OR COMPLETED OPE proposed work. If well is directio nent to this work.)*	tations (Clearly state an pertuen nally drilled, give subsurface local	t details, and give pertinent dates, tions and measured and true vertica	depths for all marker	and zones perti

PLEASE HOLD CONFIDENTIAL

11/	16/	74 -	- TD	4988'.	drilling	Lower	Green	River.
-----	-----	------	------	--------	----------	-------	-------	--------

11/17/74 - TD 5225', drilling Green River. 11/18/74 - TD 5415', "" 11/19/74 - TD 5510', drilling Wasatch.

11/20/74 - TD 5616', drilling Wasatch. 11/21/74 - TD 5700', tripping out to log. 11/22/74 - TD 5700', WOO. Dual Induction Laterolog with S.P. 5690-342'; Sonic Gamma Ray and Caliper 5690-342'; Formation Density 5690-342'; Logger's Depth 5690'; Driller's Depth 5700'.

Original Signed By SIGNED J. L. WROBLE	TITLE .	EXPLORATION	MANAGER	DATE	11/22/74	<u> </u>
(This space for Federal or State office use)					-	
APPROVED BY	TITLE .	· · · · · · · · · · · · · · · · · · ·		 DATE	· • • • • • • • • • • • • • • • • • • •	

Pacefor Fransmuni + Charney Walke Steward: U. S. S. Sand Gilge Unil 13-10. sec 10 85 23E -5390 - 5490 - love Pay your 2) 4220-4320 - Contad - all shell - love G.

2870 - 9970 - Top you'l sakele1910 - 2010 - Occors intend/water flow there dely/au.

5) 11 3 0 342' / 75 m and 75' out

6) 10 sb/ surfice maker.

MIL

orm 9-331 UN D STATES	Form approved. Budget Bureau No. 42-R142		
DEPARTMEN—OF THE INTER	RIOR (Other Instructions or	5. LEASE DESIGNATION AND SERIAL NO.	
GEOLOGICAL SURVEY	U-28225		
SUNDRY NOTICES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME	
(Do not use this form for proposals to drill or to deepen or plug Use "APPLICATION FOR PERMIT—" for such	back to a different reservoir.		
		7. UNIT AGREEMENT NAME	
OIL GAS WELL OTHER P&A 11/24/74		Sand Ridge Unit	
. KAME OF OPERATOR		8. FARM OR LEASE NAME	
PACIFIC TRANSMISSION SUPPLY COMPANY		9. WELL NO.	
ADDRESS OF OPERATOR	PTS #13-10 Federal		
245 Market Street, San Francisco, Californ	10. FIELD AND POOL, OR WILDCAT		
L. LOCATION OF WELL (Report location clearly and in accordance with an See also space 17 below.)	ly State requirements.		
At surface	7007	Wildcat 11. SEC., T., R., M., OR BLE. AND	
817' FWL & 1820' FSL of Section 10, T85-	RZ3E	SURVEY OR AREA	
		Section 10, T8S-R23E	
14 PERMIT NO. 15. ELEVATIONS (Show whether	NY RT CR etc.)	12. COUNTY OR PARISH 13. STATE	
14. PERMIT NO. 16. ELEVATIONS (Show whether 5351' Ground	Dr. 11., 0.1, 0.01,	Uintah Utah	
	_		
G. Check Appropriate Box To Indicate	Nature of Notice, Report, or	Other Data	
NOTICE OF INTENTION TO:	SUBSE	QUENT REPORT OF:	
	WATER SHUT-OFF	REPAIRING WELL	
TEST WATER SHUT-OFF PULL OR ALTER CASING	FRACTURE TREATMENT	ALTERING CASING	
FRACTURE TREAT MULTIPLE COMPLETE	SHOOTING OR ACIDIZING	ABANDONMENT*	
SHOOT OR ACIDIZE	(Other)		
REPAIR WELL CHANGE PLANS (Other) WEEKLY REPORT	(Nome - Deport resul	its of multiple completion on Well apletion Report and Log form.)	
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertin proposed work. If well is directionally drilled, give subsurface lo	ent details, and give pertinent date	es, including estimated date of starting a	
proposed work. If well is directionally drilled, give subsurface lo nent to this work.)*	cations and measured and true veri	ical depths for all markers and somes per	
	•		
PLEASE HOLD CONFLDENTIAL		Sacks Class "G"	
		Dacko ozaso v	
11/24/74 - TD 5700'. Rigging out BOP.	5700-5600 '	35	
	5490-5390'	40	
	4430-4220'	35	
	2970-2870'	40 43	
	2010-1910' 417-267'	85	
	41/-20/	0.5	
	w at aumfage Uala a	tood full after each nine	
10 sacks with dry hole marke	er at surface. Hole s	tood full after each plug	
		tood full after each plus	
10 sacks with dry hole market 11/25/74 - Rigging Down - P&A. Rig rel			

*See Instructions on Reverse Side

TITLE .

(This space for Federal or State office use)

Reserve Oil & Gas Chorney Oil Company Utah Oil & Gas CC DEB, HGC, WGS, EHW

DATE ___

Copies:

CALVIN L. RAMPTON
Governor

GORDON E. HARMSTON

Executive Director,

NATURAL RESOURCES



OIL & GAS CONSERVATION BOARD

STATE OF UTAH

DIVISION OF OIL & GAS CONSERVATION

1588 WEST NORTH TEMPLE SALT LAKE CITY, UTAH 84116 328-5771 GUY N. CARDON

Chairman

CHARLES R. HENDERSON ROBERT R. NORMAN JAMES P. COWLEY HYRUM L. LEE

July 1, 1975

PACIFIC TRANSMISSION SUPPLY CO. 245 Market Street San Francisco, California 94105

Re: Well No's: Beehive Unit Fed. 11-20

Sec. 20, T. 9 S, R. 24 E.

Uintah County, Utah

Sand Ridge Unit #13-10 Sec. 10, T. 8 S, R. 23 E.

Uintah County, Utah

Gentlemen:

This letter is to advise you that the "Well Completion or Recompletion Report and Log" and electric and/or radioactivity logs for the above referred to well are due and have not been filed with this office as required by our rules and regulations.

Please complete the enclosed Form OGC-3 in duplicate, and forward them to this office as soon as possible. If electric and/or radioactivity logs were not run, please make a statement to this effect in order that we may keep our records accurate and complete.

Your prompt attention to the above will be greatly appreciated.

Very truly yours,

DIVISION OF OIL & GAS CONSERVATION

SCHEREE WILCOX EXECUTIVE SECRETARY

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Form 9-331 Dec. 1973 UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY	Form Approved. Budget Bureau No. 42-R1494 5. LEASE U-28225 6. HE INDIAN, ALLOTTEE OR TRIBE NAME
SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9–331–C for such proposals.)	7 ONIT AGREEMENT NAME Sand Ridge Unit 8 FARM OR LEASE NAME
1. oil gas well other 2. NAME OF OPERATOR Pacific Transmission Supply Company 3. ADDRESS OF OPERATOR Ph #801-789-4573	Federal 9
85 South 200 East, Vernal, UT 84078 4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.) AT SURFACE: 817' FWL and 1820' FSL AT TOP PROD. INTERVAL: (NW SW) AT TOTAL DEPTH:	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Section 10, T.8S., R.23E. 12. COUNTY OR PARISH 13. STATE Utah 14. API NO.
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA	43-047-30191 15 ELEVATIONS (SHOW DF, KDB, AND WD) 5351' GL.
REQUEST FOR APPROVAL TO: TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL PULL OR ALTER CASING MULTIPLE COMPLETE CHANGE ZONES ABANDON* (other)	('vo⊺E: Report results of multiple completion or zone change on Form 9–330.)
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly statincluding estimated date of starting any proposed work. If well is different measured and true vertical depths for all markers and zones pertinent. Operator requests that the well location and allows to determine if rehabilitation is sati	irect coally drilled, give subsurface locations and it to the work.)* road be inspected when weather

Subsurface Safety Valve: Manu. and Type .		Set @	F
8. I hereby certify that the foregoing is tr	ue and correct		
Rick Canterbury	TITLE ASSOCIATE Engine (This space for Federal or State office use	January 17, 1984	
V	(This space for Federal or State office use		_
PPROVED BY	TITLE DAT	TE	



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Vernal Field Office 170 South 500 East Vernal, Utah 84078-2799 http://www.blm.gov/utah/vernal

Phone: (435) 781-4400 Fax: (435) 781-4410

IN REPLY REFER TO: 3160 UT08300

June 21, 2002

Cheryl Cameron
El Paso Production Oil & Gas Co.
P. O. Box 1148
Vernal, UT 84078

Re:

Notification of Expiration

Well No. Kennedy Wash Fed. 10-1

SWSE, Sec. 10, T8S, R23E

Uintah County, Utah Lease No. UTU-77290

Dear Cheryl:

The Application for Permit to Drill the above-referenced well was approved on April 23, 2001. Since that date, no known activity has transpired at the approved location. Applications for Permit to Drill are effective for a period of one year. In view of the foregoing, this office is notifying you that the approval of the referenced application has expired. If you intend to drill at this location at a future date, a new Application for Permit to Drill must be submitted.

This office requires a letter confirming that no surface disturbance has been made for this drill site. Any surface disturbance associated with the approved location of this well is to be rehabilitated. A schedule for this rehabilitation must be submitted to this office. Your cooperation in this matter is appreciated.

Sincerely,

Leslie Walker

Legal Instruments Examiner

estu Walker

CC:

UDOGM

RECEIVED

JUN 2 6 2002

DIVISION OF OIL, GAS AND MINING